

22/23

Kartelllights.

Kartelllights.



KARTELL LIGHTSTYLE

In 1958, Kartell decorative lighting design brought together some of the greatest names on the international design scene, including Achille and Pier Giacomo Castiglioni and Marco Zanuso. It is a truly extraordinary inheritance of which Ferruccio Laviani bravely took up the reins in 2002, the year in which the lighting division was given a new boost and a path embarked on that was marked by innovation, research and a continuous drive to creatively respond to the major technological challenges of our times. Today, Kartell's lighting is versatile and the large collection of lights for decorative or technical use that furnish the indoor and outdoor domestic or working spaces ensures perfect adaptation to suit any ambiance.

Twenty years of light: the light FL/Y "bubble" represented the fresh start, a turning point in the brand's history that would subsequently give rise to an ironic, contemporary, extremely versatile lighting collection. It is a coherent project that respects the values of industrial production and quality of materials. A constant evolution, hinged on a few key points that have defined the "Kartell lightstyle", like the iconic Bourgie and Take and the new classics Battery and Mini Planet.

Lights that excite, creating unique atmospheres and defining the very nature of ambiances. Lights that illuminate but also do so much more, overcoming new technological frontiers, like the complex game of transparencies played by Kabuki or the reflections created by Planet.

New solutions and new designs for different occasions. Kartell lighting has grown, also responding to the needs in the office and contract segments, for example with the first of the collection's lamps to be dedicated to technical lighting, Aledin.

The growth of Kartell Lighting is enjoyed in step with that of the company as it explores new technological milestones, continuously overcoming limits and employing new materials, in particular with the ambitious aim of converting the catalogue with the new green solutions wherever possible.

HOW TO READ THE DATA SHEETS

NAME 0000
Designer

GENERAL INFORMATION

A leading design brand, Kartell has for over 70 years been a creative laboratory of ideas and design working according to a logic of innovation and industrial production. In parallel, the brand pursues creativity with impossible challenges that have never been overcome before, proposing a unique and unprecedented offering that guarantees quality and maximum styling appeal for customers on a broad range of products made with trailblazing production technologies and novel, innovative materials. Continuous attention to quality also includes a focus on environmental sustainability both during production and in the management of the product itself. This publication contains technical information and advice for use that we hope our customers will find helpful.

N.B. The company reserves the right to make changes to the technical characteristics of the products in the catalogue, without notice. Any new product or variation to the technical characteristics of the products will be made known to the public via the most effective methods. How to read and use the Price List

The pages are organised vertically for each family of products, simply scroll down to read the technical information for each one. Specifically, you will find the following information for each product:

A PRICES

The prices shown in the following price list apply from 1st February 2022 and are valid for 12 months, subject to Kartell's right to revise the same following prior notification. All prices are shown in the reference country currency. For each individual item, the price including VAT will be shown, with the price excluding VAT indicated below. VAT is calculated in compliance with the law in force when the price list is printed. Prices are always per unit. Exceptions to this rule are countries in which dual pricing has not been specifically set out, and therefore only the net price is indicated.

B CODE

This is the number which accompanies each product or individual component, and must be indicated on every order. It is located next to the technical drawing or finish.

C DIMENSIONS

The maximum dimensions are indicated in order to provide all of the necessary elements to assess the space occupied by the product. Depending on the country of reference, the units of measurement are cm or inches.

D WEIGHT

The net weight of the product is stated, as this is a useful piece of information for products such as tables and chairs, to evaluate the suitability of the product for a specific use (e.g. for use in public spaces). Depending on the country of reference, the units of measurement are kg or pounds.


E DESCRIPTION AND MATERIALS

This section contains details of the materials and any essential technical and functional aspects.

F COLOUR SAMPLES

Details of the colours or colour combinations available. The full-colour guide symbol identifies the colours available to be freely combined, the two-way guide symbol identifies the fixed seat/colour pairing that cannot be changed. The colours shown are as close as possible to the actual product shade. However they are to be considered as general indications for consultation.

G SYMBOLS



SYMBOLS AND SPECIFICATIONS ASSOCIATED WITH INDIVIDUAL LIGHTS

	INSULATION CLASSES	CL.1	CL.1 INDICATES THE LEVEL OF PROTECTION AGAINST ELECTRIC SHOCK. IN THE CASE OF CLASS 1, INSULATION IS "SIMPLE" AND THE APPLIANCE'S EARTHING DEVICES ARE REQUIRED.
			INDICATES A DEVICE IN WHICH THE PROTECTION AGAINST ELECTRIC SHOCK IS BASED ON THE EXTRA LOW VOLTAGE SAFETY POWER SUPPLY AND IN WHICH NO HIGHER VOLTAGES ARE PRODUCED.
			INDICATES THE TYPE OF SURFACE ON WHICH THE APPLIANCE CAN BE MOUNTED. THE SYMBOL "F" INDICATES THAT THE APPLIANCE CAN BE MOUNTED DIRECTLY ON NORMALLY INFLAMMABLE SURFACES.
	PROTECTION RATING	IP20	INDICATES THE DEGREE OF PROTECTION AGAINST THE PENETRATION OF DUST, SOLID BODIES AND MOISTURE. IP20 RATING REFERS TO ORDINARY APPLIANCES THAT HAVE NO SPECIFIC REQUIREMENTS.
	VOLTAGE		INDICATES THE APPLIANCE POWER SUPPLY VOLTAGE.
	ENERGY CLASS		COLOUR TEMPERATURE + CRI THE COLOUR RENDERING INDEX IS THE NUMERICAL VALUE THAT INDICATES THE ABILITY OF A LIGHT SOURCE TO REPLICATE THE COLOUR TONES AND THE COLOURS OF THE OBJECTS ILLUMINATED.
	AVERAGE LIFE OF LIGHT SOURCE		LUMEN LUMINOUS FLUX OF THE LIGHT SOURCE
			DIMMABLE VERSION
	BATTERY LIFE		

H CERTIFICATIONS

Reliability test information. More information is available in the "CERTIFICATIONS: Reference legislation" section

I INFORMATION REGARDING PACKAGING UNITS

At the bottom of the page, you will see the following information indicated for each package in the order: the number of pieces, weight, volume and dimensions in cm or inches, depending on the reference country. The pieces within a package cannot be purchased separately.

B 0000 UNIT PRICE **000 £** **A**
000

C $\frac{62}{50}$ $\frac{77}{65}$ $\frac{43}{43}$ **D** 54 2.64 kg

E MATERIAL
Material description

COLOUR **F**
00 Colour 00 Colour 00 Colour 00 Colour 00 Colour 00 Colour

G





TABLE LAMPS


NEW!

MINI GEEN-A 2022

Design Ferruccio Laviani




9710 battery dimmable version



		IP 54	5	CLASS E
1.2W integrated LED	2700°K CRI 80	50.000 h.	DIMMER 200lm	BATTERY LIFE 7h






9720 direct power supply




		IP 20	5	CLASS E
1.2W integrated LED	2700°K CRI 80	50.000 h.	200lm	

MATERIAL

Polyester powder-coated steel



The light source and/or battery contained in this appliance must only be replaced by qualified personnel using original spare parts.




9710	1	2.5	0.362	24X24X42
9720	1	2.5	0.362	24X24X42





reddot award 2017
winner

PLANET 2016
Design Tokujin Yoshioka

9385
dimmable



9386




FRAME

Polished or painted die-cast aluminium

DIFFUSER


Transparent or mass-dyed thermoplastic technopolymer



discover Planet Family




9386	1	4.08	0.05	39X39X33
9385	1	4.72	0.094	39X55X44



The light source contained in this appliance must only be replaced by qualified personnel using original spare parts.




9410
dimnable battery version



		IP 20	5	CLASS E						
1.6W integrated LED	2700°K CRI 90	50.000 h.	<table border="1"> <tr> <td>35lm</td> <td>25h</td> </tr> <tr> <td>75lm</td> <td>14h</td> </tr> <tr> <td>198lm</td> <td>5h</td> </tr> </table>		35lm	25h	75lm	14h	198lm	5h
35lm	25h									
75lm	14h									
198lm	5h									

9420
direct power supply





		IP 20	5	CLASS E
1.6W integrated LED	2700°K CRI 90	50.000 h.	198lm	

FRAME

Metallic technopolymer thermoplastic

DIFFUSER


Transparent or batch-dyed PMMA



discover Planet Family



9410	1	0.75	0.01	20X20X24
9420	1	0.75	0.01	20X20X24



The light source and/or battery contained in this appliance must only be replaced by qualified personnel using original spare parts.



NEW!

GOODNIGHT 2021

Design Philippe Starck



9560 dimmable battery version

9.7 29 0.35 kg

1.6W integrated LED
 2700°K CRI 80
 50.000 h.
 DIMMER STEP BATTERY LIFE

40lm	25h
80lm	14h
220lm	5h

IP 20
 5 CLASS D

MATERIAL
PMMA, PP and metallic or painted recycled ABS

GLOSSY

- XX Polished Chrome
- RR Polished Copper
- GG Gloss Champagne
- TT Polished Titanium

MAT

- BI Matt White
- TO Matt Titanium

Product made of recycled material

100V-240V power supply included

9561 outdoor dimmable battery version

9.7 29 0.35 kg

1.6W integrated LED
 2700°K CRI 80
 50.000 h.
 DIMMER STEP BATTERY LIFE

40lm	25h
80lm	14h
220lm	5h

IP 54
 5 CLASS D

MATERIAL
PMMA, PP and metallic recycled ABS

GLOSSY

- XX Polished Chrome




Product made of recycled material


100V-240V power supply included




The outdoor version of Goodnight is available in other colour variants with a minimum order of 20 pieces.




The light source and/or battery contained in this appliance must only be replaced by qualified personnel using original spare parts.



9560 1 0.61 0.008 15X15X36



9561 1 0.61 0.008 15X15X36



The light source and/or battery contained in this appliance must only be replaced by qualified personnel using original spare parts.



MINI KABUKI 2018

Design Ferruccio Laviani



9200
dimmable



kg
1.7




MATERIAL

Polycarbonate 2.0 from transparent or mass-dyed renewable raw material




New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)

100V-240V power supply included



The light source contained in this appliance must only be replaced by qualified personnel using original spare parts.

9200



1 2.83 0.11 38X37X84



9050

18.5 19 31 0.9 kg IP 20 220-240 CLASS E Max 5W Led E14 2700°K CRI 80 15.000 h. 480lm

MATERIAL

Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

TRANSPARENT


- B4 Crystal
- Q2 Smoke
- RO Pink
- OL Olive green
- AM Amber
- BL Blue

MAT

- Q7 White
- Q8 Black

JJ04


One E14 3.8W LED light bulb included

 New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)



9050

1 1.1 0.011 19X19X32



The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.



BATTERY 2015

Design Ferruccio Laviani



kg
0.36

CLASS F
IP 54 **5**
0.8W integrated LED **2700°K CRI 80** **50.000 h.** **110lm** **BATTERY LIFE 7.5h**

MATERIAL
Mass-dyed or metallic transparent PMMA

9140

TRANSPARENT


- B4 Crystal
- AM Amber
- PR Plum
- VE Green
- BL Blue
- FU Smoke




9145

METALLIC

- XX Chrome
- GG Gold



9140	1 (minimum purchase 4 pieces)	0.71	0.008	36X15X15
9145	1 (minimum purchase 4 pieces)	0.71	0.008	36X15X15



The light source and/or battery contained in this appliance must only be replaced by qualified personnel using original spare parts.



9475
dimnable battery outdoor version

37.3
17

kg
1.00

		IP 54	3.7	CLASS D
		2.5W integrated LED	2700°K CRI 90	50.000 h.
		374lm		BATTERY LIFE 7h

9470
direct power supply

37.3
17

kg
0.90

		IP 20	3.7	CLASS D
		2.5W integrated LED	2700°K CRI 90	50.000 h.
		374lm		

MATERIAL
Mass-dyed or transparent PMMA


TRANSPARENT

B4 Crystal	PR Plum	AZ Light blue	CO Cola

100V-240V power supply included



9470	1	1.14	0.017 19X19X48
9475	1	1.24	0.017 19X19X48



The light source and/or battery contained in this appliance must only be replaced by qualified personnel using original spare parts.



9335
dimmable

31
9.5
0.8 kg
1.2W integrated LED
2700°K CRI 80
50.000 h.
DIMMER 220lm
BATTERY LIFE 5h

MATERIAL

Mass-dyed and metallic transparent PMMA

TRANSPARENT


- B4
Crystal
- AM
Amber
- GL
Wisteria
- FU
Smoke
- RO
Red

N.B.
The lamp body is suitable for use outdoors (IP54), but the rechargeable base is only suitable for indoor use (IP20)


100V-240V power supply included



Production video




9335 1 (minimum purchase 4 pieces) 1.2 0.008 39X15X15



The light source and/or battery contained in this appliance must only be replaced by qualified personnel using original spare parts.



9220



kg
0.35

		IP 20	5	CLASS E
1.6W integrated LED	2700°K CRI 90	50.000 h.	220lm	BATTERY LIFE 6.5h

MATERIAL


Transparent or batch-dyed PMMA - Metallized ABS

METALIC

GG Gold	RR Copper	XX Chrome	TT Titanium

9225

outdoor version



kg
0.35

		IP 54	5	CLASS E
1.6W integrated LED	2700°K CRI 90	50.000 h.	220lm	BATTERY LIFE 6.5h

MATERIAL

Transparent or batch-dyed PMMA - Metallized ABS

METALIC

XX Chrome



100V-240V power supply included




9220/9225 1

0.86

0.016

20X21X38




The light source and/or battery contained in this appliance must only be replaced by qualified personnel using original spare parts.



BOURGIE 2004

Design Ferruccio Laviani



IP 20 220-240 CLASS E

3xMax 2700°K 15.000 h. DIMMER
 5W Led CRI 80 3x 440lm
 E14



9070
dimmable

MATERIAL
2.0 polycarbonate from renewable transparent feedstock, mass-dyed or metallic

TRANSPARENT

B4 Crystal
 Q8 Black

9076
dimmable

O0 White Gold
 New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)

9071 B4
ON/OFF

MATERIAL
Transparent polycarbonate

9072
dimmable
9074
dimmable


MATERIAL
frame: metallized ABS, diffuser: metallized polycarbonate

9072


METALLIC

RR Copper
 O0 Silver
 X1 Multicoloured titanium
 X2 Multicoloured fuchsia
 X3 Multicoloured light blue
 O0 Gold

JJ01
Three E14 max. 3.4W LED light bulbs included




9070/9071	1	5.2	0.132	44X70X43
9072	1	5.2	0.132	44X70X43
9074	1	5.2	0.132	44X70X43
9076	1	5.2	0.132	44X70X43



The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.

BOURGIE MAT 2020


Design Ferruccio Laviani



9077
dimmable

MATERIAL
Polycarbonate 2.0, made from mass dyed, soft-touch renewable raw material




 New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)




JJ01
Three E14 max. 3.4W LED light bulbs included

discover Bourgie



The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.





9110
Table lamp

Max 5W Led E14 2700°K CRI 80 20.000 h. 470lm

FRAME

Transparent thermoplastic technopolymer

DIFFUSER

Transparent thermoplastic technopolymer covered in fabric

9135
Sculpted table lamp

Max 5W Led E14 2700°K CRI 80 20.000 h. 470lm

MATERIAL


Transparent or mass-dyed thermoplastic technopolymer

JJ02/JJ03

One E14 4W LED light bulb included
Cannot be sold separately




9110	1	1.5	0.015	23X41X16
9135	1	1.47	0.015	23X41X16



The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.



8836



MATERIAL


Painted thermoplastic technopolymer



8837

MATERIAL


Metallic technopolymer thermoplastic




100V-240V power supply included



discover TOY



The light source contained in this appliance must only be replaced by qualified personnel using original spare parts.



8836/8837 1 1.5 0.030 35X28X29





reddot award 2017
best of the best

ALEDIN 2016

Design Alberto and Francesco Meda



9190 Tec dimmable

48 ÷ 113
kg 3.4

4.2W integrated LED
2700°K CRI 90
50.000 h.
DIMMER 480lm

IP 20 24V dc CLASS E

9195 Dec dimmable

48 ÷ 113
kg 3.4

5.6W integrated LED
2700°K CRI 90
50.000 h.
DIMMER 500lm

IP 20 24V dc CLASS E

MATERIAL

Mass colored polycarbonate, anodised aluminum

TRANSPARENT

B4 Crystal FU Smoke BL Blue VE Green AM Amber

9190 Tec Mat dimmable

48 ÷ 113
kg 3.4

4.2W integrated LED
2700°K CRI 90
50.000 h.
DIMMER 480lm

IP 20 24V dc CLASS E

MATERIAL

Painted polycarbonate, anodised aluminum


MAT

03 White 09 Black


100V-240V power supply included



Production video




9190	1	4.7	0.03	23.5X117.5X11
9195	1	4.7	0.03	23.5X117.5X11



The light source contained in this appliance must only be replaced by qualified personnel using original spare parts.




9300
dimmable




MATERIAL

Transparent or batch-dyed PMMA


TRANSPARENT



MAT



100V-240V power supply included



The light source contained in this appliance must only be replaced by qualified personnel using original spare parts.

9300




1



4.62



0.096





47X85X24





9320



MATERIAL

Mass-dyed or transparent PMMA



TRANSPARENT



MAT





9325



MATERIAL

Metallic PMMA

METALLIC



100V-240V power supply included



9320

1

1.2

0.014

42X25X14


9325

1

1.2

0.014

42X25X14




The light source contained in this appliance must only be replaced by qualified personnel using original spare parts.





9100



MATERIAL
Metallic ABS




JJ05


One E27 11.2W LED light bulb included



9100





1 2.07 0.032 26X49X25



The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 3000 K is recommended.



9065



FRAME

Transparent PMMA

DIFFUSER

Polycarbonate

TRANSPARENT




B4
Crystal

JJ06


One E27 12W LED light bulb included
Cannot be sold separately



9065



1 3.05 0.049 27X67X27



The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.





FLOOR LAMPS


NEW!

K-LUX 2022

Design Rodolfo Dordoni



9425



		IP 20	220-240	CLASS E
5W Led E14	2700°K CRI 80	20.000 h.	550lm	



FRAME


Polyester powder-coated steel

N Black	G Grey

DIFFUSER

Batch-dyed bi-injection thermoplastic technopolymer

F Smoke	G Green	P Straw yellow



The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.

9425	1	10.8	0.364
			45X45X180






reddot winner 2022
best of the best

GEEN-A 2020

Design Ferruccio Laviani

9700
dimmerable



- Max 3x 5W Led E14
- 2700°K CRI 80
- 20.000 h.
- DIMMER 3x 550lm
- IP 20
- 220-240
- CLASS E



MATERIAL

Polyester powder-coated steel

- 03 White
- 09 Black
- MA Brick Red


JJ15

Pack of 3 E14 5W LED light bulb included
Cannot be sold separately



The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.

9700



1 19.0 0.396 52X53X144








reddot award 2017
winner


PLANET 2016

Design Tokujin Yoshioka

9387 dimmerable



9388 dimmerable




FRAME

Chrome-plated steel, painted steel

DIFFUSER


Transparent or mass-dyed thermoplastic technopolymer




discover Planet Family



9387
9388



1	12.5	0.22	40X40X138
1	13.2	0.269	40X40X168



The light source contained in this appliance must only be replaced by qualified personnel using original spare parts.







9180
dimmerable



IP 20 220-240 CLASS E

 19W integrated Led 2700°K CRI 80 50.000 h. 2289lm DIMMER

MATERIAL

Transparent or mass-dyed thermoplastic technopolymer

TRANSPARENT: B4 Crystal VE Green AZ Light blue
 OPAQUE: 03 White 09 Black

9185
outdoor version dimmerable



IP 44 220-240 CLASS E

 19W integrated Led 2700°K CRI 80 50.000 h. 2289lm DIMMER

MATERIAL

Transparent or mass-dyed thermoplastic technopolymer


TRANSPARENT: B4 Crystal
 OPAQUE: 03 White 09 Black



Production video



9180	1	12.26	0.562	57X173X57
9185	1	12.26	0.562	57X173X57




The light source contained in this appliance must only be replaced by qualified personnel using original spare parts.

TOOBE 2007
Design Ferruccio Laviani



9060



kg
8.6

Max 15W Led E27 2700°K CRI 80 20.000 h. 1350lm

FRAME
Transparent PMMA

DIFFUSER
Polycarbonate


TRANSPARENT




JJ06
One E27 12W LED light bulb included
Cannot be sold separately



9060



1 10.7 0.142 28X181X28



The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.



SUSPENSION LAMPS


NEW!

KHAN 2022

Design Philippe Starck



9550
dimmable*



kg
6.0

IP 20 220-240 CLASS G

 8x 2500°K 20.000 h. DIMMER 8x
 Max 5W CRI 80 400lm*
 E14

MATERIAL

2.0 polycarbonate from renewable transparent feedstock or batch-dyed


GLOSSY

B4
Transparent
 E6
Black



New 2.0 polycarbonate, a material that uses renewable feedstock from the pulp and paper industry in the synthesis phase. The production process of this material is Certified ISCC* (International Sustainability and Carbon Certification)

9555
dimmable*



kg
6.0

IP 20 220-240 CLASS G

 8x 2500°K 20.000 h. DIMMER 8x
 Max 5W CRI 80 400lm*
 E14

MATERIAL

2.0 polycarbonate from renewable metallic feedstock

METALLIC

GG
Matt bronze



New 2.0 polycarbonate, a material that uses renewable feedstock from the pulp and paper industry in the synthesis phase. The production process of this material is Certified ISCC* (International Sustainability and Carbon Certification)


9559

Pack of 4 light bulbs E14 5W


JJ17

Pack of 8 light bulbs E14 5W LED included

*product dimmable with compatible systems



9550/9555	1	9.00	0.290	63X63X72
9559	4	0.75	0.001	8X8X22



The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.





reddot award 2017
winner

PLANET 2016
Design Tokujin Yoshioka

9390

31 27 38 + 232 2.7 kg

19W integrated LED 2700°K CRI 90 50.000 h. 1570lm

IP 20 220-240 CLASS F

FRAME

Polished or painted die-cast aluminium

DIFFUSER


Transparent or mass-dyed thermoplastic technopolymer

FRAME DIFFUSER

B4 Crystal G1 Amber FU Smoke



discover Planet Family



The light source contained in this appliance must only be replaced by qualified personnel using original spare parts.



9390 1 4.2 0.05 39X33X39

KABUKI 2016

Design Ferruccio Laviani



9175



MATERIAL

Transparent or mass-dyed thermoplastic technopolymer




JJ14


One E27 max. 12W LED light bulb included
Cannot be sold separately



Production video



The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.





9130
sculpted version

14 14 18 + 210

kg 0.7

Max 5W Led E14 2700°K CRI 80 20.000 h. 470lm

IP 20 220-240 CLASS E

MATERIAL

Transparent or mass-dyed thermoplastic technopolymer

FRAME DIFFUSER

B4 Crystal AM Amber RO Pink AZ Light blue

9131

14 14 18 + 210

kg 0.7

Max 5W Led E14 2700°K CRI 80 20.000 h. 470lm

IP 20 220-240 CLASS E

FRAME

Transparent thermoplastic technopolymer

DIFFUSER

Transparent thermoplastic technopolymer covered in fabric

FRAME DIFFUSER


BE Crystal Beige

JJ03

One E14 4W LED light bulb included
Cannot be sold separately




9130	1	1.05	0.013	23X29X19
9131	1	1.09	0.013	23X29X19




The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.

EASY 2003

Design Ferruccio Laviani



kg
0.72




MATERIAL

Transparent, mass-dyed or metallic polycarbonate

9010

TRANSPARENT




9013

METALLIC





9010	1	0.96	0.01	15X44X15
9013	1	0.96	0.01	15X44X15



The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.

SMALL FL/Y 2002

Design Ferruccio Laviani



9053

MATERIAL


Mass-dyed PMMA



9068

MATERIAL


Painted PMMA



9066


MATERIAL

Metallic PMMA




JJ14

One E27 max. 12W LED light bulb included
Cannot be sold separately



The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.




9053	1	2.14	0.058	42X32X43
9068	1	2.14	0.058	42X32X43
9066	1	2.14	0.058	42X32X43

BIG FL/Y 2002

Design Ferruccio Laviani



9058





MATERIAL

Mass-dyed PMMA




9097




MATERIAL

Painted PMMA




JJ14

One E27 max. 12W LED light bulb included
Cannot be sold separately




9058	1	10.45	0.481	86X65X86
9097	1	10.45	0.481	86X65X86




The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.






MATERIAL
Mass-dyed thermoplastic technopolymer

9450



9455




9460



JJ14
One E27 12W LED light bulb included
Cannot be sold separately





Model	Quantity	Weight (kg)	Volume (m³)	Dimensions (cm)
9450	1	4.7	0.13	53X53X43
9455	1	4.7	0.13	53X53X43
9460	1	4.7	0.13	53X53X43




The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.





9260
S2




9263
S2 Metallic



9265
S1





9268
S1 Metallic




JJ08
Three G9x3.5W LED light bulbs included
Cannot be sold separately

9280
S0



MATERIAL
Transparent or mass-dyed technopolymer thermoplastic




MATERIAL
Metallic technopolymer thermoplastic




JJ09
Six G9x3.5W LED light bulbs included
Cannot be sold separately

JJ10
Nine G9x3.5W LED light bulbs included
Cannot be sold separately



9260	1	2.36	0.024	25X39X25
9263	1	2.4	0.024	25X39X25
9265	1	7.14	0.059	30X60X33
9268	1	7.6	0.059	30X60X33
9280	1	17.6	0.157	100X58X27



The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.



9250

FRAME
Transparent or batch-dyed polycarbonate

FLOWERS
Batch-dyed technopolymer thermoplastic

TRANSPARENT

B4 Crystal RN Pink Black


MAT

03 White 09 Black


JJ07
Nine G9x3.5W LED light bulbs included
Cannot be sold separately



9250 1 9.52 0.145 59X50X49



The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.



MATERIAL
Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

9080



9082




JJ12

One E27 8.4W Globo Led light bulb included
Cannot be sold separately



New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)




The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.

9080	1	2.93	0.063	43X34X43
9082	1	2.93	0.063	43X34X43



9040



ROSETTE

Chrome-plated steel


DIFFUSER

Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

TRANSPARENT



MAT




JJ11

One E14 4W Led light bulb included
Cannot be sold separately



New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)



The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.

9040




1



0.76



0.011




28X22X18







9340
Transparent
9345
Metallic



9350
Transparent
9355
Metallic



9360
Transparent
9365
Metallic




MATERIAL
Transparent PMMA

9340/9350/9360




MATERIAL
Metallic PMMA

9345/9355/9365



9340/9345	1	1.12	0.007	13X13X42
9350/9355	1	1.4	0.012	13X13X71
9360/9365	1	1.76	0.017	13X13X101



The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.



WALL LAMPS


NEW!

GOODNIGHT 2021

Design Philippe Starck






9570 Wall lamp



MATERIAL

PMMA, PP and metallic or painted recycled ABS



The light source and power supply element in this appliance must be replaced by qualified personnel only.

9570 1 0.60 0.007 15X15X33

NEW!

FATA 2021

Design Piero Lissoni



9480 Wall lamp

MATERIAL

Batch-dyed or transparent thermoplastic technopolymer, metallic recycled ABS

JJ16

One E14 5W LED light bulb included
Cannot be sold separately




9480

1

0.65

0.006

26X17X13.5



The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.



111




9125
Wall lamp

Max 5W Led E14 2700°K CRI 90 15.000 h. 470lm

FRAME
Transparent thermoplastic technopolymer


DIFFUSER
Transparent thermoplastic technopolymer covered in fabric



9120
Wall lamp sculpted version

Max 5W Led E14 2700°K CRI 90 15.000 h. 470lm


MATERIAL
Transparent or mass-dyed thermoplastic technopolymer



JJ02/JJ03
One E14 4W LED light bulb included
Cannot be sold separately



Model	Quantity	Weight (kg)	Volume (m³)	Dimensions (mm)
9125	1	1.345	0.013	23X29X19
9120	1	1.3	0.013	23X29X19



The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.



9270
CW2

28 22 1.62 kg

Max 3x 4.5W Led G9 2700°K CRI 80 20.000 h. 3x 360lm

IP 20 220-240 CLASS F

9275
C1

53 39 5.9 kg

Max 6x 4.5W Led G9 2700°K CRI 80 20.000 h. 6x 360lm

IP 20 220-240 CLASS F

MATERIAL

Transparent or mass-dyed technopolymer thermoplastic

TRANSPARENT

B4 Crystal LV Lavender MN Mint

MAT


O3 White

JJ08

Three G9x3.5W LED light bulbs included
Cannot be sold separately

JJ09

Six G9x3.5W LED light bulbs included
Cannot be sold separately



The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.

9270	1	2.46	0.024	25X39X25
9275	1	7.07	0.059	30X60X33



9045

Max 5W Led E14
 CRI 80

ROSETTE

Chrome-plated steel

DIFFUSER

Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

TRANSPARENT

B4 Crystal
 P1 Rose
 P2 Light blue
 P4 Yellow
 P8 Green


MAT

Q7 White
 Q8 Black

JJ11

One E14 4W Led light bulb included
Cannot be sold separately

New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)




The light source can be replaced with a similar source, respecting the data indicated on the label. Use of a light source with a colour temperature of 2700 K is recommended.


9045 1 0.77 0.011 28X22X18





9370




MATERIAL
Transparent PMMA




9370



The light source and power supply element in this appliance must be replaced by qualified personnel only.




9953
with lighting




FRAME

Transparent or batch-dyed PMMA with lighting



9953




1

6.37

0.081



87X85X11



The light source and power supply element in this appliance must be replaced by qualified personnel only.



USE AND MAINTENANCE



product charts

Simple care is needed for the maintenance of Kartell products to retain the original features of the materials.

During the cleaning phases, all Kartell items must not be in charge and / or must be disconnected from the mains supply.

PLASTIC MATERIALS

Cleaning. Use a soft damp cloth with soap or a liquid detergent, preferably diluted with water.

The use of the following substances must absolutely be avoided: acetone, trichloroethylene, ethyl alcohol or detergents containing even small quantities of these substances which cause irreparable damage to the plastic of which the products are made.

We recommend always using a damp cloth to prevent plastic surfaces from becoming charged with static electricity which attracts dust. Also avoid abrasive solvents, cleaning powders and creams, steel wool or rough sponge cloths.

Use. Do not drag objects across the plastic surface, even if it has a scratch resistant finish, since sharp objects can damage the plastic just as they would damage wood or metal. Do not place very hot plates or pots directly on the surface, but always use a cloth or trivet.

CHARACTERISTICS OF LIGHTING PRODUCTS

The battery-operated lamps are fitted with a rechargeable lithium battery: the lithium polymer battery combined with the design of the circuit board ensures faster charging.

It is important for the lamp to be powered with a SELV power source or equivalent for charging


The rechargeable battery pack can be replaced, but only with a GENUINE spare part: the use of ordinary batteries could become dangerous as they are not compatible with the device.

To replace the battery, contact your nearest Kartell store.

In lamps containing a built-in LED module, the light source can also be replaced: in this case, the replacement of the LED part must only be carried out by qualified staff, always and only using genuine spare parts.


To replace the LED module, contact your nearest Kartell store.

These products have one or both of these symbols::



In lamps fitted with a light bulb, the light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.

These products have this symbol:



LIGHTING REGULATIONS CERTIFICATIONS

REFERENCE MARKS

CE – indicates the conformity of the products bearing the acronym with the essential requisites of European Community directives.

ENEC – the European trademark for high quality in electrical products which indicates conformity with current European regulations is recognised as the equivalent of the individual national trademarks in 20 European countries, signatories to the Lum Agreement.

ETL – American and Canadian trademark of quality for electrical products. It certifies product conformity with current American and Canadian regulations.

PSE – Japanese trademark of quality for electrical products. It certifies product conformity with current Japanese regulations.

NOM - Mexican trademark of quality for electrical products. It certifies product conformity with current Mexican regulations.

EK/KC - Korean trademark of quality for electrical products. It certifies product conformity with current Korean regulations..

CB Certificate (Australia and New Zealand)

Certification attesting product conformity with international IEC regulations, can be issued with specific national deviations.

CB Certificate – Certification attesting product conformity with international IEC regulations.

CCC - China Compulsory Certificate The brand certifies product compliance with Chinese standards and is mandatory for lighting products imported in China.

ECO-CONTRIBUTION

Introduced in Legislative Decree no. 151 dated 25 July 2005 (updating directives 2002/95/EC, 2002/96/EC and 2003/108/EC), the eco-contribution is an environmental charge used to pay for waste management of electrical and electronic equipment (WEEE). This charge is used to finance all phases of treatment, transport, recovery and disposal of electrical and electronic appliances. Kartell lighting prices include the WEEE.


NOTICE PURSUANT TO ARTICLE 13 OF LEGISLATIVE DECREE NO. 151 DATED 25 JULY 2005.



Directive 2012/19/UE (waste electrical and electronic equipment: WEEE):

User information: pursuant to article 13 of Legislative Decree no. 151 dated 25 July 2005, no. 151 "Updating of Directives 2002/95/EC, 2002/96/EC and 2003/108/EC, regarding the reduction in the use of dangerous substances in electrical and electronic equipment, and the disposal of waste" this product is conform.

The barred bin symbol on the equipment or their packaging indicates that at the end of its useful life, the product must be disposed of separately from other waste. The user must take the equipment to an authorised recycling centre for electronic and electric waste, or return it to the original vendor when purchasing an equivalent product, on a one-to-one basis. The appropriate collection for environmentally-compatible recycling, treatment and disposal contributes to avoiding possible negative effects on the environment and its health and encourages the reuse and/or recycling of the materials used in the equipment. Improper disposal of the product by the user will result in the application of the administrative sanctions stipulated by regulations in force.



ECODESIGN FOR LIGHTING


In response to current legislation, Kartell is working hard to bring its lighting products as closely as possible into line with the parameters established by the ECODESIGN directive.

The EU Ecodesign Directive establishes a framework under which manufacturers of energy-using products are obliged to reduce the energy consumption and other negative environmental impacts occurring throughout the product life cycle (production, use and disposal).

In particular, the regulation requires that light sources and their power supplies permit access for technical checking and that they be "disassemblable" to permit repair in the event of failure. Light sources must also be "replaceable" to permit upgrading or the installation of more efficient or improved components as these become available in future.



GENERAL TERMS AND CONDITIONS OF SALE



I. SCOPE

1. These General Terms and Conditions govern sales contracts entered into by Kartell S.p.A. ("Kartell") and its clients, professionals that purchase and resell ("Client") the Goods presented in the Kartell catalogue ("Goods"). The General Terms and Conditions of Sale may be waived or modified only through a written agreement between Kartell and the Client.

II. ORDERS

1. Each Product order constitutes an irrevocable offer by the Client. Kartell reserves the right at its sole discretion, to accept, modify or refuse orders at its sole discretion, or to suspend delivery should the Client not provide Kartell with guarantees for the request and not respect the sales guidelines issued by Kartell from time to time.

2. Excluding purchases made for specific purposes agreed in advance with Kartell or in the "contract" channel, the Goods may only be resold retail at the sales point indicated to Kartell.

III. PRICE

1. Unless otherwise agreed, the prices of the Goods indicated in the price list are ex works for deliveries within the European Union, and ex Kartell warehouse for deliveries outside the European Union.

2. The minimum amount of each order for delivery inside Italy is €400.00 (four hundred euros) excluding VAT, and €500.00 (five hundred euros) excluding VAT within the European Union. Should the order not reach this amount, the order may be accepted with a minimum additional charge on the Client invoice of €25.00 (twenty-five euros) in the first case, and €40.00 (forty euros) in the second case as a "partial contribution to expenses".

3. The price applied to the Goods is that in force at the order date. VAT must be added to the prices indicated in the price list (minus any discounts) in accordance with the law.

4. Kartell reserves the right to modify the price of the Products indicated in the price list, at any time, as a result of events that determine an increase in production costs, by way of non-limiting example, an increase in the costs of (i) raw materials, (ii) transport, (ii) labour, (ii) energy, etc., or any other factor relating to production dynamics. It is understood that any changes in the price of the Products shall not in any way affect orders finalised before the entry into force of such price changes.

IV. OWNERSHIP

1. Pursuant to Articles 1523-1526 of the Italian Civil Code, ownership of the Goods will be transferred to the Client only upon full payment of the price. In the event of hire

purchase and Client default, Kartell shall retain any instalments already paid by way of compensation, without prejudice to claims for greater damages.

V. PAYMENTS

1. Payment is considered to have been made only when Kartell is in possession of the amount. In the event of payment by cheque or other method, the payment method must be considered to be accepted subject to payment in due course.

2. However, order payment may not be suspended or delayed due to Client claims or defences regardless of ownership, nor may the Client offset debits and credits with Kartell.

3. In accordance with Article 1186 of the Italian Civil Code, failure to pay or partial payment of any amount owed to Kartell shall automatically place the Client in default with the resulting expiry of the time limit and Kartell's simultaneous right to suspend deliveries, refuse or cancel orders, modify sales conditions and take action to ensure full payment of the credit, in addition to expenses, interests and damages. Late payment will also result in the automatic application (with no prior notice) of late interest at the rate established by Article 5 of Legislative Decree 231/2002.

VI. DELIVERY

1. The delivery date is purely approximate and non-binding, with Kartell being entitled to make partial deliveries.

2. Should delivery be delayed as requested by the Client, Kartell reserves the right to charge monthly warehousing and/or handling expenses equal to 10% (ten percent) of the amount indicated on the invoice, beginning in the month following notice to the Client of the Goods' availability.

3. Any Product order cancellation or rejection at receipt will result in the application of a penalty on the Client of 30% (thirty percent) of the amount indicated on the invoice, without prejudice to claims for greater damages.

4. Should the Goods be shipped outside EU territory, the Client must provide Kartell all documents certifying Product delivery within one (1) month. Should the Client fail to do so, Kartell reserves the right to charge the Client all expenses incurred to complete the sale operation.

5. At delivery, the Client must carefully inspect the quantity and condition of Product packaging. On pain of forfeiture, any obvious defect must be: (i) reported in writing to the shipper at the time of delivery, indicating expressly on the consignment note "conditional acceptance", and (ii) promptly reported in writing to Kartell within 48 (forty-eight) hours of delivery, in compliance with the instructions below.

6. Any returns must be approved in writing in advance by Kartell: unauthorised returns will be returned to the sender along with delivery charges.

VII. GUARANTEE AND CLAIMS

1. The legal guarantee for the Goods begins, as per Article 1495 of the Italian Civil Code, on the date of acceptance of Product delivery by the Client or its representatives.

2. Any claim regarding the Goods (excluding those identified at the time of receipt and regarding shipping) must be made in writing to Kartell **within 8 (eight) days**

of the discovery, and in any case **within 12 (twelve) months** of Product delivery acceptance by the Client or its representatives in compliance with the following procedure: (Par. 6. Claims)

3. With reference to the Consumer Code, Legislative Decree 206 of 6 September 2005, Articles 131 and 132, the Client loses and forfeits any right of recourse against Kartell if it does not notify Kartell in writing of an end-customer claim within 8 (eight) days of receipt of the end customer's complaint using the procedure described above.

4. Kartell shall not be liable for damages caused by improper use, tampering, normal wear or failure to respect the assembly and maintenance instructions included in the product card, or component modifications or replacements with others not in accordance with the original specifications.

5. In any case, Kartell's liability is limited to the value of the defective goods: Therefore, Kartell may not be held liable, among other things, for expenses sustained by the Client or end customer or for any other damage claimed (direct or indirect).

6. **The bulbs contained in the packaging of each lamp are supplied by Kartell as a courtesy in order to provide the best service to our customers.** However, since these accessories are not directly manufactured by Kartell but supplied by external suppliers, Kartell does not guarantee their correct function. In case of bulb fault or failure, it is the customer's responsibility to replace the bulb, in compliance with the technical information in the catalogue, in the dedicated section, or in the instruction booklet enclosed with the product, to which reference is made in full, and for which Kartell assumes no liability.

VIII. COMPETENT COURT

1. Any disputes arising directly or indirectly from the contractual relationship are the exclusive competence of the Milan court.

2. Applicable law is substantially Italian (excluding any application of foreign laws).

CLAIMS FOR SHIPPING DAMAGE

Should one of the following situations be noted at the time of Product delivery

- merchandise missing with respect to accompanying document
- merchandise different with respect to accompanying document
- Damaged packaging, highlighted by the relevant impact indicator where it is affixed to the packaging;

the Client must

- write reservations on the consignment note (either on the carrier's copy or on the recipient's copy). Written reservations must be detailed, as general reservations are not sufficient to allow proper processing of the claim
- Complete the reporting form (Transport claim form) in full: the form (facsimile shown below) is available from Kartell's regional agent, or Kartell's Sales Office at **transport@kartell.it**;
- Send a copy of the consignment note and the reporting form within 48 (forty-eight) hours of Product receipt.

CLAIMS FOR PRODUCT NON-CONFORMITY

To notify Kartell of a claim in the event of Product non-compliance, send the following documents to the Kartell Customer Care Office at **quality@kartell.it**:

- The product non-compliance form (Generic claim form) completed in full: the form (facsimile shown below) is available from the Kartell Customer Care Office, at the e-mail address above, or from Kartell's regional agent;
- Photographs showing the non-compliance (at least one photo per non-compliant Product)


If the complaint concerns a **new product** - just received by the customer or just delivered by the customer to the end customer - you must also send images of the relative packaging, supplying a full view and close up of the double label (production and shipping), as shown below.

You should keep hold of the Quality Control slip found inside the Product information, because it contains information which may be required by the Kartell Customer Care Department to make any required checks on production batches potentially affected by non-conformity. **After sending the documentation indicated in the above paragraphs, we recommend you keep the original product packaging.**

Only reports sent to the aforementioned addresses along with all the required elements will be taken into consideration by Kartell. In the absence of any or all of the required documentation and/or the original packaging, or in



CLAIMS



the case of failure to follow the procedure set out above, Kartell will be unable to follow up your report.

Kartell cannot be held liable for any damage, defects or faults caused to the products or resulting in any way from and/or connected with transport or deliveries not carried out directly by Kartell through its agents or carriers. Kartell strongly recommends the use of transport companies with proven experience, which guarantee a high level of service.

If it is possible to use the WebUP system, the complaint can be registered in the system using the same procedure.

Transport claim form

The form includes fields for: Claim form TRANSPORT DAMAGE, Customer Code, Company Name, Kartell Invoice number and date, Kartell transport document number and date, NON-CONFORMITY OBSERVED UPON DELIVERY OF: Missing merchandise, Different merchandise, Damaged packaging, Description of non-conformity, Agent Data, Photo and date, and The Claim.

Merchandise non-conformity claim form

The form includes fields for: CLAIM FORM, Customer Code, Company Name, Customer Number, Kartell Invoice number and date, Kartell transport document number and date, Code of contacted item, New or used item, Quantity, Description of defect discovered, Photos sent to quality@kartell.it, Photo item no., Full view photo of packing no., Photo of packing label details no., AGENT DATA, Agent Name, Kartell Agent Code, Photo and date, and The Claim.

SUSTAINABLE GROWTH AND DEVELOPMENT IN VIEW OF THE AGENDA FOR 2030

Kartell is continuing down the road begun by the "Kartell loves the planet" manifesto and drafting a company sustainability policy covering 11 of the 17 Sustainable Development Goals (SDGs) established by the United Nations as a "blueprint to achieve a better and more sustainable future for all".

Kartell has identified the SDGs most relevant to its business in order to bring about a convergence of interests and encourage the involvement of the entire production chain and distribution network. Our aim is to develop products that are designed by the world's top creatives, made from sustainable materials, and produced using the most innovative industrial techniques to reduce our impact on the environment. We are equally committed to offering customers products that are stylish and well made, and that accurately represent the age-old culture of beauty on which the value of Italian manufacturing is based.

We have already made the circular economy central to our environmental sustainability processes. At the same time, we believe it our duty to promote the circularity of beauty based on ethical and aesthetic sustainability. Italy's industrial system is generating a beauty-based economy as part of the country's immense cultural heritage, and Kartell is on the front line in this mission

- 12** Responsible consumption and production: **Kartell products are timeless and conceived to merit a place in museums and private collections.**
- 8** Decent work and economic growth: **Our corporate strategy is based on ethical production, transparent financial management and the economics of beauty.**
- 9** Industry, innovation and infrastructure: **Recycled materials contribute to the circular economy and ensure recyclability in other industrial processes.**
- 12** Responsible consumption and production: **Recycled materials contribute to the circular economy and ensure recyclability in other industrial processes.**
- 13** Climate action: **Recycled materials contribute to the circular economy and ensure recyclability in other industrial processes.**
- 15** Life on land: **Recycled materials contribute to the circular economy and ensure recyclability in other industrial processes.**
- 2** Zero hunger: **We invest in continuous research into new materials and new production processes (e.g. bioplastics derived from vegetable waste not destined for the food chain).**
- 8** Decent work and economic growth: **We invest in continuous research into new materials and new production processes (e.g. bioplastics derived from vegetable waste not destined for the food chain).**
- 9** Industry, innovation and infrastructure: **We invest in continuous research into new materials and new production processes (e.g. bioplastics derived from vegetable waste not destined for the food chain).**
- 13** Climate action: **We invest in continuous research into new materials and new production processes (e.g. bioplastics derived from vegetable waste not destined for the food chain).**
- 15** Life on land: **We invest in continuous research into new materials and new production processes (e.g. bioplastics derived from vegetable waste not destined for the food chain).**
- 8** Decent work and economic growth: **Our industrial processes are waste and emissions free.**
- 9** Industry, innovation and infrastructure: **Our industrial processes are waste and emissions free.**
- 13** Climate action: **Our industrial processes are waste and emissions free.**
- 15** Life on land: **Our industrial processes are waste and emissions free.**
- 3** Good health and well-being: **We are ISO and Greenguard certified.**
- 12** Responsible consumption and production: **Our packaging is recyclable and sustainable.**
- 1** No poverty: **We are engaged in social solidarity projects worldwide.**
- 4** Quality education: **We are engaged in social solidarity projects worldwide.**
- 8** Decent work and economic growth: **We provide a sustainable working environment.**
- 4** Quality education: **We believe in training.**

* In September 2015, the governments of the 193 member states of the General Assembly of the United Nations approved the UN's Sustainable Development Goals (SDGs). These 17 goals form a plan of action for peace and prosperity for people and the planet known as the 2030 Agenda for Sustainable Development.



BEING THE FIRST IN INNOVATION, COMBINING DESIGN AND INDUSTRIAL TECHNOLOGY

FEEDING THE BEAUTY OF THINGS AND RESPECT FOR PEOPLE.

A Kartell product is timeless, produced with the utmost respect for the environment and destined - on completion of its function - to occupy museum spaces and join collectors' assets. A beautiful and well made product, part of a production process that pursues perfection, pays attention to detail and studies every possible evolutionary change.

DOING GOOD AND MAKING PEOPLE FEEL GOOD

Kartell objects are environmentally friendly and hold certifications that confirm their low level of emissions.

CIRCULAR ECONOMY

New design for regenerative economy Kartell takes a better path in our commitment to environmental sustainability, using recycled materials where technology allows.

RESPECT FOR THE ENVIRONMENT AND SUSTAINABILITY.

For seventy years, Kartell has played a leading role in innovative production and product creativity. Respect for the environment is, and always has been a value that goes to the heart of the brand and in a bid to strengthen this commitment the company launched the "Kartell loves the planet" mission, the industrial manifesto with which it focuses on environmental responsibility and attention to good sustainability practices.

In recent seasons, Kartell has supplemented its use of traditional materials with innovative projects that summarize research and innovation of materials and production processes.

SOCIAL SOLIDARITY PROJECTS WORLDWIDE

Taking care of new generations

The "Kartell loves the planet" industrial mission statement extends our commitment to sustainability to social solidarity, including support for the education of young people in countries most in need of aid.

For example, for its seventieth anniversary, Kartell has launched a solidarity project in favour of the Fondazione Francesca Rava - N.P.H. Italia and its international "Building Sustainability through Education.

Empowering the young generation to be leaders of a green revolution" programme.

The company is awarding study grants to Latin American university students to sponsor research in environmental sustainability projects.





RECYCLED MATERIAL

A recycled thermoplastic technopolymer obtained from pure waste material that has been set aside and is not contaminated by other materials. The choice is dictated by the possibility to use scrap material that guarantees the aesthetic quality and structural requirements of the product, reducing the emissions necessary for its production.

With this material, Kartell intends to go one step further in its commitment to environmental sustainability, using recycled material while eliminating waste from the environment and turning it back into raw material, activating a virtuous process of circular economy.



POLYCARBONATE 2.0

Polycarbonate 2.0 is a material, used exclusively by Kartell, which combines a second generation renewable polymer made from cellulose and paper waste with an ISCC (International Sustainability and Carbon Certification) certified process.

ISCC was one of the first schemes for the sustainability of products throughout the supply chain in the renewable energy sector to be issued at European level, and it is now one of the most popular and widely recognised. The benefits of polycarbonate, such as superior shock resistant and flame retardant properties, elasticity, excellent mechanical properties and easy recycling, are retained in version 2.0.



RECYCLABILITY

Recyclability, sustainability, eco-compatibility - in two words environmental friendliness - are the issues at the heart of Kartell's product development strategy.

As regards recyclability, the eco-friendly focus begins as early as the design and production phase: to simplify recycling, the various components of Kartell products are easy to disassemble and separate into single-materials parts; furthermore, all plastic components are clearly marked to ensure that they can be easily identified and recycled.



PACKAGING

The packaging contains mainly recycled material and is 100% recyclable.

Contributing the environmental sustainability means eliminating wastage and the improper disposal of waste materials.

For more information on the recyclability of our products, visit: www.kartell.com



TABLE LAMPS

	PAG.
MINI GEENA	9
PLANET	11
MINI PLANET	13
GOODNIGHT	16
MINI KABUKI	21
TAKE	23
BATTERY	27
BIG BATTERY	29
LANTERN	31
SPACE	33
BOURGIE	37
BOURGIE MAT	39
LIGHT-AIR	41
TOY	43
ALEDIN	47
TAJ	49
TAJ MINI	51
CINDY	53
TOOBE	55

FLOOR LAMPS

	PAG.
K-LUX	59
GEENA	61
PLANET	65
KABUKI	69
TOOBE	71

SUSPENSION LAMPS

	PAG.
KHAN	75
PLANET	79
KABUKI	81
LIGHT-AIR	83
EASY	85
FL/Y	87
SMALL FL/Y	89
BIG FL/Y	91
BELLISSIMA	95
BLOOM	97
GEÈ	101

SUSPENSION LAMPS

	PAG.
È	103
RIFLY	105

	PAG.
GOODNIGHT	109
FATA	111
LIGHT-AIR	113
BLOOM	115
È	117
RIFLY	119
ALL SAINTS LED	121

FAMILIES OF PRODUCTS

PLANET



p. 11



p. 13



p. 65



p. 79

KABUKI



p. 21



p. 69



p. 81

GOODNIGHT



p. 16



p. 109



p. 27

BATTERY



p. 29

BOURGIE



p. 37



p. 101



p. 103



p. 117

LIGHT AIR



p. 23



p. 83



p. 113

TAJ



p. 49



p. 51

FL/Y



p. 87



p. 89



p. 91

BLOOM



p. 97



p. 99



p. 115

TOOBE



p. 55



p. 71

RIFLY



p. 105



p. 119



Project and Art Direction
Ferruccio Laviani

Graphic Design
Alessandro Pensotti

Printing
Target Color S.r.l.

Copyright Kartell 2022

Kartell

via delle Industrie, 1 • 20082 Naviglio (MI)
t. +39 02 900121 • f. +39 02 90091212
kartell@kartell.it • kartell.com